

BOARD

F. MARK
New York

BIKALES
Foundation

BERGER
Michigan

MENGES
Aachen

in-Chief
CHWITZ

ENCYCLOPEDIA OF POLYMER SCIENCE AND ENGINEERING

VOLUME 4

**Composites, Fabrication
to
Die Design**

A WILEY-INTERSCIENCE PUBLICATION

John Wiley & Sons

NEW YORK • CHICHESTER • BRISBANE • TORONTO • SINGAPORE

Copyright © 1986 by John Wiley & Sons, Inc.

All rights reserved. Published simultaneously in Canada.

Reproduction or translation of any part of this work beyond that permitted by Section 107 or 108 of the 1976 United States Copyright Act without the permission of the copyright owner is unlawful. Requests for permission or further information should be addressed to the Permissions Department, John Wiley & Sons, Inc.

Library of Congress Cataloging in Publication Data:
Main entry under title:

Encyclopedia of polymer science and engineering.

Rev. ed. of: Encyclopedia of polymer science and technology. 1964—

"A Wiley-Interscience publication."

Includes bibliographies.

I. Polymers and polymerization—Dictionaries.

I. Mark, H. F. (Herman Francis), 1895—
II. Kroschwitz, Jacqueline I. III. Encyclopedia
of polymer science and technology.


TP1087.E46 1985 668.9 84-19713
ISBN 0-471-88099-X (v. 4)

Printed in the United States of America

10 9 8 7 6 5 4 3 2

CROSS-LINKING

Cross-linking reactions are those that lead to the formation of insoluble and infusible polymers in which chains are joined together to form a three-dimensional network structure (1,2). A simple cross-linking reaction is exemplified by polymer chains with several functional groups designated A that are capable of reacting among themselves to form chemical bonds A—A. If these polymer chains are exposed to conditions such that the functional groups do react, then all the chains in the reaction vessel will be tied to each other through A—A bonds. In principle, the polymer molecules in the reaction vessel will have formed one giant molecule.



Cross-linked polymers differ in many important respects from linear and branched polymers. For example, they swell in a good solvent to form a gel but do not dissolve to form a solution. At elevated temperature, cross-linked polymers generally behave like soft but elastic solids rather than viscous liquids (3). Vulcanized rubber is one familiar example (4).

The vulcanization process involves cross-linking reactions that make rubber useful in applications where mechanical strength is important. Other cross-linked polymers are widely used in paints, printing inks, adhesives, sealants, encapsulants, and electrical and electronic components. Phenol-formaldehyde resins, epoxy resins (qv), amino resins (qv), polyurethanes (qv), unsaturated polyesters, alkyd resins (qv), silicones (qv), polyimides (qv), and acrylics are some commercially important cross-linked materials (see also PHENOLIC RESINS; POLYESTERS, UNSATURATED). These polymers are also called thermosets or network polymers and the cross-linking process is referred to as vulcanization (qv), curing (qv), thermosetting, or network formation (see also GELS; INTERPENETRATING POLYMER NETWORKS; NETWORKS).

In the example above, the macromolecules were self-reacting, but this is not necessary for network formation. Cross-linking can be carried out through the use of a cross-linking agent, a molecule that has two or more groups capable of reacting with the functional groups on the polymer chain:



functiona
polyme

C
mers v
of a dif
a diol
polyme

Re:
tially for
branched
part of t
viscosity
of reacti
and begi
at which
point. Cl